

## Reglan



**Generic Reglan** is used for short-term treatment of gastroesophageal reflux disease (GERD) in certain patients who do not respond to other therapy. It is used to treat symptoms of a certain digestive problem in diabetic patients (diabetic gastroparesis).

Active ingredient: [Metoclopramide](#)

**Brand(s):** Vominorm

**Manufacturer:** Cipla Limited

**Disease(s):** Gastroesophageal Reflux Disease / Diabetic Gastroparesis

### Reglan 10mg

	Per pill	Per Pack	Order
30 tablet	\$ 1.23	<b>\$ 36.95</b>	<a href="#">Add to cart</a>
60 tablet	\$ 1.12	<b>\$ 66.95</b> <del>\$73.90</del>	<a href="#">Add to cart</a>
90 tablet	\$ 1.01	<b>\$ 90.95</b> <del>\$110.85</del>	<a href="#">Add to cart</a>
120 tablet	\$ 0.91	<b>\$ 108.95</b> <del>\$147.80</del>	<a href="#">Add to cart</a>
180 tablet	\$ 0.81	<b>\$ 145.95</b> <del>\$221.70</del>	<a href="#">Add to cart</a>
360 tablet	\$ 0.71	<b>\$ 254.95</b> <del>\$443.40</del>	<a href="#">Add to cart</a>

Free AirMail shipping

## Metoclopramide tablet

### What is this medicine?

METOCLOPRAMIDE is used to treat the symptoms of gastroesophageal reflux disease (GERD) like heartburn. It is also used to treat people with slow emptying of the stomach and intestinal tract.

### What should my health care professional know before I receive this medicine?

They need to know if you have any of these conditions:

- depression
- kidney disease
- Parkinson's disease or a movement disorder
- pheochromocytoma
- seizures
- stomach obstruction, bleeding, or perforation
- an unusual or allergic reaction to metoclopramide, procainamide, sulfites, other medicines, foods, dyes, or preservatives
- pregnant or trying to get pregnant
- breast-feeding

### How should I use this medicine?

Take this medicine by mouth with a glass of water. Take this medicine on an empty stomach, about 30 minutes before eating. Take your doses at regular intervals. Do not take your medicine more often than directed. Do not stop taking except on the advice of your doctor or health care professional.

